





LONG SEAT

Comfortable seating that leaves you energised, ready to take on anything, even after long rides.

STREET-TECH DIGITAL METER

Boldly set out in confidence, with an innovative display that shares all the relevant information like service due indicator and gear position indicator.

N

DUAL PETAL DISC BRAKES WITH ABS 276mm front and 220mm rear disc brakes with Anti-Lock Braking System (ABS) that give superior control and heightened steering ability, even when braking hard.

A .

(3)

ENGINE STOP SWITCH Turn off the engine more conveniently with a flick of the switch.

-

LOW MAINTENANCE SEAL CHAIN Low maintenance and longer life.

HAZARD SWITCH Announce your presence especially in low visibility conditions.





TECHNICAL SPECIFICATIONS⁺

BODY DIMENSIONS

Length	2013 mm
Width	786 mm
Height	1115 mm
Wheel Base	1347 mm
Ground Clearance	160 mm
Kerb Weight	Single Disc - 143 Kg, Double Disc - 144 Kg
Seat Length	582 mm
Seat Height	795 mm
Fuel Tank Capacity	12 L
ENGINE	
Туре	4 Stroke, SI, BS-VI Engine
Displacement	162.71 cc
Max Engine Output	10.2 kW @ 8000 rpm
MaxTorque	14.7 N-m @ 5500 rpm
Fuel System	PGM-FI
Bore x Stroke	57.300 x 63.096 mm
Compression Ratio	10.0:1
Starting Method	Self/Kick
TRANSMISSION	
Clutch Type	Multiplate Wet Clutch
No. of Gears	5 Gears
TYRES & BRAKES	
Tyre Size & Type (Front)	80/100-17 M/C 46P (Tubeless)
Tyre Size & Type (Rear)	130/70-17 M/C 62P (Tubeless)
BrakeType & Size (Front)	Disc - 276 mm (Single Channel ABS)
BrakeType & Size (Rear)	Drum - 130 mm, Disc - 220 mm
FRAME & SUSPENSION	
Frame Type	Diamond Type
Front Suspension	Telescopic
Rear Suspension	Hydraulic, Monoshock
ELECTRICALS	
Battery	12V, 4.0 Ah
Headlamp	LED

set of some in the last

train Sele.T

